

F-44/F-54/F-64/F-84 4"/5"/6"/8" 8? On Wall Mount Speaker

Product ID: F-44/F-54/F-64/F-84



Short Description

Rated power: 20W/30W/40W/60W

Line input: 8?

Speaker driver: 4"/5"/6"/8" PP + 1" tweeter

Description

ABS on wall mount cabinet speaker with PP woofer speaker driver and tweeter, 8? input.

Speaker driver size:

F-44: 4" PP woofer + 1" PEI tweeter, rated power: 20W

F-54: 5" PP woofer + 1" silk tweeter, rated power: 30W

F-64: 6" PP woofer + 1" silk tweeter, rated power: 40W

F-84: 8" PP woofer + 1" silk tweeter, rated power: 60W

Specification

Model	F-44	F-54	F-64	F-84
Rated power	20W	30W	40W	60W
Max power	40W	60W	80W	120W
Impedance	8?			

Sensitivity (1m,1W)	87±3dB	88±3dB	87±3dB	88±3dB
Frequency response	90-20KHz		80-20KHz	30-20KHz
Woofer speaker driver	4"x1 PP	5"x1 PP	6"x1 PP	8"x1 PP
Tweeter speaker driver	1"x1 PEI	1"x1 Silk	1"x1 Silk	1"x1 Silk
Product dimension (mm)	220x150x135	255x178x155	310x213x195	417x289x261
Frame material	HIPS			
Grille material	Powder coated Iron mesh			
Color	White / Black			
Product net weight	1.9Kg	2.7Kg	3.3Kg	6.1Kg
Gross weight	6Kg/2pcs	8Kg/2pcs	8.6Kg/2pcs	14.2Kg/2pcs
Packing dimension (cm)	43x25x28	50x29x33	55x34x38	67x35x51

Product Gallery





