

L-406TKS/L-506TKS/L-606TKS 4"/5"/6" Ceiling Speaker with ABS Cover and Power Taps

Product ID: L-406TKS/L-506TKS/L-606TKS



Short Description

Rated power: 20W/30W/40W

Line input: 70V/100V/8Ω


Speaker driver: 4" or 5" or 6" PP woofer + 1" Mylar tweeter

Description

Elevate your public address and background music systems with these premium ceiling-mounted speakers.



Featuring a durable iron front grille and a high-strength ABS rear cover, these speakers are designed for lasting performance.



Available with 70V/100V and 8 Ω inputs, they offer flexibility with a power taps switch.

Choose from 4", 5", or 6" PP cone woofers, paired with a 1" Mylar coaxial tweeter for outstanding audio quality.

Perfect for indoor use, these CE-certified speakers deliver superior sound and are ideal for any indoor environment.

Specification

Model	L-406TKS	L-506TKS	L-606TKS
Rated power	20W	30W	40W
Power taps	2.5/5/10/20W	3.8/7.5/15/30W	5/10/20/40W

Line input	70V/100V/8?		
Sensitivity (1m,1W)	87±3dB	88±3dB	90±3dB
Frequency response	90-20KHz	80-20KHz	70-20KHz
Woofer speaker driver	4" PP	5" PP	6" PP
Tweeter speaker driver	1" Mylar		
Product dimension (mm)	?200x150	?230x150	?270x180
Hole for mounting (mm)	?180	?210	?250
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.8	2	2.7
Gross weight	17Kg/8pcs	18Kg/8pcs	13.4Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery



