

# L-3411/L-3611, 4.5"/6.5" 6W/10W Steel Fireproof Ceiling Speaker

**Product ID:** L-3411/L-3611



## Short Description

Rated power: 6W/10W

Line input: 70V/100V

Speaker driver: 4½" or 6½" paper

## Description

High-class steel material ceiling mounted speaker, 4½" or 6½" paper cone woofer speaker driver, build in 70V/100V transformer.

Power taps: 1.5/3/6W or 3/6/10W

Input voltage: 70V/100V

## Specification

| Model             | L-3411   | L-3611 |
|-------------------|----------|--------|
| Rated power       | 6W       | 10W    |
| Power taps (70V)  | 1.5/3W   | 3/6W   |
| Power taps (100V) | 3/6W     | 6/10W  |
| Line input        | 70V/100V |        |

|                         |           |           |
|-------------------------|-----------|-----------|
| Sensitivity (1M,1W)     | 91dB±2dB  | 92dB±2dB  |
| Max SPL (1M)            | 97dB±2dB  | 100dB±2dB |
| Frequency response      | 250-15KHz | 200-14KHz |
| Woofer speaker driver   | 4½" paper | 6½" paper |
| Tweeter driver          | -         | -         |
| Product dimension (mm)  | φ174x110  | φ210x115  |
| Hole for mounting (mm)  | φ158      | φ196      |
| Frame material          | Steel     |           |
| Grille material         | Steel     |           |
| Color                   | White     |           |
| Product net weight (Kg) | 1.2       | 1.6       |
| Gross weight (Kg)       | -         | -         |
| Packing dimension (cm)  | -         | -         |

**Product Gallery**



