

# L-511THS/L-611THS/L-811THS 5"/6"/8" Ceiling Speaker with 1/2" Mylar Tweeter, Iron Back Cover and Power Taps

**Product ID:** L-511THS/L-611THS/L-811THS



## Short Description

Rated power: 20W/30W/40W

Line input: 70V/100V/8?

Woofer speaker driver: 5" or 6" or 8" PP, 1/2" Mylar tweeter

## Description

ABS ceiling speaker with 5"/6"/8" PP woofer speaker driver and 1/2" Mylar tweeter, with transformer and power taps.

## Specification

Model	L-511THS	L-611THS	L-811THS
Rated power	20W	30W	40W
Power taps	2.5/5/10/20W	3.8/7.5/15/30W	5/10/20/40W
Line input	70V/100V/8?		
Sensitivity (1m,1W)	88±3dB		
Frequency response	100-20KHz	90-20KHz	50-20KHz
S.P.L.	-	-	-

Woofer speaker driver	5" PP (foam edge)	6" PP (foam edge)	8" PP (foam edge)
Tweeter speaker driver	1/2" Mylar		
Product dimension (mm)	203x145	230x150	270x185
Hole for mounting (mm)	170	200	240
Frame material	ABS		
Back cover material	Iron		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight(Kg)	1.8	2.3	3.05
Gross weight	18Kg/8pcs	24.7Kg/8pcs	16Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery



