

M-808 8x8 Digital Audio Matrix

Product ID: M-808



Short Description

8 input 8 output digital audio matrix
Support 4 remote paging station
Remote panel control for each zone


Description

Complete PA system solution for multi-zone, multi-functional venues like entertainment place, large-scale hotel, sports center, shopping mall, airport, etc.

- ? 7" touch screen
- ? 8 channel balanced audio input, 8 channel balanced audio output
- ? Each channel with individual EQ control, support remote panel control, including audio selection, audio input and volume control
- ? Support 4 remote paging microphone, 2 local MIC with phantom power supply
- ? Build-in MP3 player (internal or external audio) and FM tuner
- ? Build-in one-touch alarm, chime input, fire alarm input, 8 dry contact inputs and one dry contact output
- ? Build-in TEL input module, with password management, support TEL paging to all zones

- ? Support monitoring function, can monitor each individual zone separately
- ? Support remote PC control and Android pad control within the same LAN network
- ? Support AC Power input and DC 24V input
- ? Timing playing function

System connection



Specification

Model		M-808
Line1-8 input voltage		1V
Input sensitivity	MIC1, 2	10mV
	Line1-8	250mV
	EMC	250mV
Line1-8 output voltage		1V
Response Frequency	MIC input & output	80Hz~10KHz (± 3 dB)
	Line input & output	20Hz~20KHz (± 3 dB)
Radio frequency band		86-108 MHz
Max. output noise		<3mV
Output distortion		<1% @1KHz
Machine size (mm)		484×375×132
Packing size (mm)		540×510×195
Power supply		230V/50Hz DC 24V
Net weight (Kg)		10
Gross weight (Kg)		13

Product Gallery

