

L-5311 On Surface Mount Ceiling Speaker

Product ID: L-5311



Short Description

Rated power: 6W

Line input: 70V/100V

Woofer driver: 6½" paper cone

Description

On ceiling or wall mount ABS speaker, built-in 6.5" paper cone woofer driver unit, 70V / 100V input and 3/6W power taps.

Built-in 6.5" speaker driver is designed of wide frequency response 110-18,000Hz, multiple input terminals; It is made of high quality engineering plastic, long-term durability, never out of shape and fading; No roof cutout, direct mounting on ceiling by 4 screws .

- **Installation**

Figure 1




Figure 2




Figure 3




Figure 4





Figure 5



Specification

Model	L-5311
Rated power	6W
Power taps (70V)	1.5/3W

power taps (100V)	3/6W
Line input	70V/100V
Sensitivity (1m,1W)	92±2dB
Frequency response	140-16KHz
Woofer driver size	6.5" paper (cloth edge)
Tweeter driver size	-
Product dimension (mm)	203.5x94
Hole for mounting (mm)	-
Frame material	ABS
Back cover material	-
Color	White (RAL9016)
Grille material	Aluminum
Product net weight (Kg)	1Kg
Gross weight (Kg)	13.2Kg (12pcs)
Packing dimension (cm)	43.5x33.5x42.5

Product Gallery



