

M-2189 250 Zones Intelligent Public Address Center

Product ID: M-2189



Short Description

50x250 digital matrix

1-48 CH remote paging

10.4'' color touch screen

Description

This M-2189 PA control center is a powerful 50x250 zones audio matrix PA system control center. It has a 10.4'' color touch screen and automatic display Chinese/English display, operating conveniently and easily.

It is a Public Address System solution suitable for medium and large venues like station, stadium, exhibition center, commercial building, park, scenic port, government, college or university, hotel, villa, industry, bank, jail and so on

? 10.4'' color touch screen operation

? 50×250 strong digital broadcasting matrix

? 1-48 remote control partition paging channels

? Fire control/disastrous alarms, paging, phone calls break in automatically

Built-in optional modules:

Normal input

Priority input

Paging input

Partition normal output

Monitoring

Extended output/input module and so on

Specification

Model	M-2189
Screen size	10.4 inches
Control	Touch pad + Touch screen
Work environment	Temperature: ?5-35?; Humidity ?0.75%; Pressure: 86-106kPa
Timing power	Single-channel current 2A, 4-channel total current 5A
Power timer capacity	Mono 2A ?4 channels total 5A
System audio N/S	LINE: 75dB MIC: 60dB
System audio distortion	Less than 0.1% @ 1kHz
System audio input levels	LINE: 250mV MIC: 3mV
System audio impedances	LINE: 10k? MIC: 600?
System audio output level	0dBV
Power supply	AC 220-240V/50-60Hz/120W
Outer Packing Size (mm)	(L×W×H) 575×545×445
Machine Size (mm)	(L×W×H) 484×485×305
Gross Weight (Kg)	37.6
Net Weight (Kg)	23.6

Packing list	1 manual 1 power supply cord 2 keys 1 protecting glass
System software	PMM software pack, licensed

Product Gallery

