

EM-4 4 Zone Remote Paging Microphone for EF-804

Product ID: EM-4



Short Description


All call & individual & group call

Volume level control

RJ45 connection

Description

The LYINTL EM-4 Microphone Paging Desk is a high-performance paging solution crafted for seamless integration with the [EF-804 preamplifier](#). Designed to deliver clear and crisp announcements in various settings, this microphone desk is perfect for businesses, educational institutions, and public venues requiring reliable communication support. Equipped with user-friendly features, including easy-to-access controls and durable construction, it ensures exceptional sound quality for daily paging needs.



Key Features

Optimal Compatibility

Exclusively designed for the [EF-804 preamplifier](#), ensuring maximum performance and functionality.

High-Quality Audio Output

Provides clear, intelligible audio for important announcements and paging.

Durable Design

Built to withstand daily use in professional environments, ensuring long-lasting performance.

User-Friendly Controls

Simple control layout for quick operation and smooth user experience.

Choose the LYINTL EM-4 Microphone Paging Desk for a dependable paging solution, enabling precise and effective communication wherever it's needed. Perfect for any facility aiming to enhance its paging and announcement system.

Specifications

? Zone selector switch, all call & individual & group call

? Volume level control

? Talk & chime switch

? Volume level control

? Zone lock switch

? RJ45 connection with amplifiers

? Can work with EF-804

? LED indicator: Power; Signal; Clip

Specification

Model	EM-4
Rated output level/Impedance	0dB/600 Ω balanced
Input sensitivity/Impedance	-60dB \pm 3dB/600 Ω balanced
Frequency response (-1dB)	45Hz-15KHz
T.H.D.	<0.1%
Signal to noise ratio	>90dB
Number of zones	4 zone
Net weight (Kg)	0.9
Dimension (mm) (WxHxD)	140x60x205 (microphone base)

Product Gallery

