

LS-503/LS-603/LS-803 5"/6"/8" ABS Frameless Ceiling Speaker

Product ID: LS-503/LS-603/LS-803



Short Description

Rated power: 6W/6W/10W

Speaker driver: 5" or 6" or 8" paper cone

Slim edge design

Description

Speial designed slim edge ABS ceiling speaker build-in 5"/6"/8" speaker driver.

Combined with 100V transformer and 3/6W power taps.

Specification

Model	LS-503	LS-603	LS-803
Rated power	6W		10W
Power taps	3W/6W		5W/10W
Line voltage	100V		
Sensitivity (1m,1W)	93±3dB	93±3dB	93±3dB
Frequency response	100-15KHz	100-15KHz	100-15KHz
S.P.L.	97dB at 100V 3W	98dB at 100V 3W	99dB at 100V 5W
Dimension (mm)	φ160x54	φ186x71	φ232x90

Hole for mounting (mm)	ø145	ø170	ø210
Speaker driver size	5" paper	6" paper	8" paper
Material	ABS		
Grille material	Powder coated Iron mesh		
Cone material	Paper		
Finished color	White RAL9016		
Net weight	0.50Kg	0.76Kg	1.0Kg
Gross weight	9.0Kg/12pcs	10.8Kg/12pcs	15Kg/12pcs
Packing dimension (cm)	41x38x21	49x41x23	61x49x27

Product Gallery



