

L-507THS/L-607THS/L-807THS 5"/6"/8" Ceiling Speaker with 1/2" Mylar Rotatable Tweeter, Iron Back Cover and Power Taps

Product ID: L-507THS/L-607THS/L-807THS



Short Description

Rated power: 20W/30W/40W

Line input: 70V/100V/8?

Woofer speaker driver: 5" or 6" or 8" PP, 1/2" Mylar rotatable tweeter

Description

ABS ceiling speaker with 5"/6"/8" PP woofer speaker driver (foam edge) and 1/2" Mylar rotatable tweeter, with transformer and power taps.

Specification

Model	L-507THS	L-607THS	L-807THS
Rated power	20W	30W	40W
Power taps	2.5/5/10/20W	3.8/7.5/15/30W	5/10/20/40W
Line input	70V/100V/8?		
Sensitivity (1m,1W)	87±3dB	86±3dB	87±3dB
Frequency response	100-20KHz	90-20KHz	90-20KHz
S.P.L.	-	-	-

Woofer speaker driver	5" PP (foam edge)	6" PP (foam edge)	8" PP (foam edge)
Tweeter speaker driver	1/2" Mylar (Rotatable)		
Product dimension (mm)	203x150	230x150	270x190
Hole for mounting (mm)	170	200	240
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.8	2.3	3.1
Gross weight	18.4Kg/8pcs	21Kg/8pcs	16Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery



