

L-VCP06A/EN Honeywell 6W 5" Ceiling Loudspeaker with Fire Dome EN54-24

Product ID: L-VCP06A/EN(582411)



Short Description

Rated power: 6W

Speaker unit: 5"

Comply with EN54-24 standard

Description

L-VCP06A/EN is a high performance 6W ceiling loudspeaker. Its broad frequency range, low distortion and high sound pressure level ensures the delivery of intelligible voice and superior sound.

The stylish low profile and white color design allows it to blend easily with most applications such as hotel, shopping mall, conference room, cinemas, and exhibition hall.

This ceiling loudspeaker complies with EN54 part 24.

MAIN FEATURES

? Intelligible voice and superior sound reproduction

? Blending easily with any indoor decorations

? Robust plastic housing with fireproof dome

? Simple power setting and wiring

? EN54-24 certified

Specification

Model	L-VCP06A/EN (582411)
Electrical Specification	
Rated power	6W
Max power	9W
Power tapping	6W/3W/1.5W (100V) 3W/1.5W/0.75W (70V)
Rated impedance	1.67k? / 3.33k? / 6.67k?
Sensitivity (1W/4m, 100Hz~10kHz)	77dB
SPL (1W/1m, 100Hz~10kHz)	89dB
SPL (6W/4m, 100Hz~10kHz)	84dB
Frequency response (-10dB)	100Hz~20kHz
Rated input voltage	100V/70V
Connection	Fire-resistant cable
Mechanical Specification	
Speaker size	5"
Material	ABS
Dimensions	?180x110mm
Cut-out size	?164mm
Net weight	0.82kg
Front grille/Dome color	White (RAL 9003)
Environmental	
Operating temperature	-25 °C - 55 °C
Storage temperature	-40 °C - 70 °C
Air Humidity	<95 % non condensing

Product Gallery

