

WS-605BT 5" 2CH Bluetooth Wireless Coaxial In-ceiling Speaker



Product ID: WS-605BT



Short Description

Rated power: 2*20W @ 8Ω

Speaker driver: 5¼" woofer + 1" tweeter

With Bluetooth input

With 3.5mm AUX input

Description

Stereo wireless Bluetooth transmission solution, the adoption of BK8000L BEKEN chip module with high-quality sound quality and compatibility. Bluetooth transmission distance can be up to 10 meters.

1. 2 Channel digital Class D amplifier with rated output power: 2*20W;
2. Speaker driver: 5" woofer + 1" tweeter
3. 2-way coaxial active system;
4. 1 AUX input for connecting with external audio sources;
5. DC24V/2A power supply with AC adapter;

6. Attractive color ABS resin finish with white grille suits any decor;

7. Frame-mounted dog-ear hook provideing secure, low-noise connections and easy installation.

Specification

Model	WS-605BT	WS-606BT	WS-608BT
Rated power	20W×2	30W×2	40W×2
Speaker driver	5"×1, 1"×1	6"×1, 1"×1	8"×1, 1"×1
Amplifier	2-channel digital amplifier (Class D)		
Material	ABS enclosure, metal grille		
Frequency response	90Hz-20KHz (±3dB)	70Hz-20KHz (±3dB)	70Hz-20KHz (±3dB)
THD	<0.05% at 1KHz, 1/3 rated power		
S/N	>70dB		
Protocol	HFPV1.5, A2DPV1.2, AVRCPV1.4, HSP1.2, GAVDP1.2, IOP		
Power supply	AC110V-240V/50Hz-60Hz / DC24V with AC adapter		
Product dimension (mm)	203*80	230*90	270*105
Installing dimension (mm)	170	200	240
Net weight	1.25Kg (1+1)	1.6Kg (1+1)	2.3Kg (1+1)

Product Gallery

