

# SUB-3010 300W Outdoor Weather-resistant Subwoofer Speaker

**Product ID:** SUB-3010



## **Short Description**

Power handling (RMS): 150W

Impedance: 4 Ohms

10" graphite cone, rubber surround

IP66 outdoor weather-resistant

## **Description**

Designed to blend within any outdoor setting, the SUB-3010 is a powerful and stealthy outdoor rated subwoofer that enhances outdoor sound systems by adding crucial bass notes for a more enriching surround sound experience.

SUB-3010 cranks out 150W of power and includes a 10" graphite cone woofer and a high impact molded plastic enclosure with a unique antique bronze finish.

Truly weather-resistant, the SUB-3010 is IP66 rated which means it is 100% sealed and protected from dirt and dust as well as powerful water jets such as sprinklers.

Its unique curved shape and down-firing port makes it the perfect addition to decks and porches, but you can place it anywhere you run speaker wire. For optimal performance, however, we recommend placing this subwoofer on a paved or hard surface.

The SUB-3010 also includes a built-in eye bolt that allows you to anchor it to the location to prevent theft or to keep it firmly in place.

This subwoofer speaker suits for any of landscape satellite speakers, and you'll have an outdoor audio system that rivals your indoor system.



## Features:

- ? Heavy-duty weather-resistant outdoor subwoofer for backyards, porches and patios
- ? IP66 rated and protected from dirt, dust and sprinklers
- ? Rated at an 150W to deliver powerful low frequency sound effects
- ? Down-firing port with 10" graphite cone woofer
- ? Antique bronze finish blends easily in the backyard lighting landscapes
- ? Withstand rain, snow and high temperatures

## Specification

Model	SUB-3010
Power handling (RMS)	150W
Max power	300W
Woofer	10" graphite cone, rubber surround
Impedance	4?
Sensitivity	86dB
Freq. response	50Hz-300Hz
Waterproof	IP66
Dimension (H*W*D) (mm)	?300x428
Net weight (Kg)	-
Gross weight (Kg)	-
Packing dimension (L*W*H) (mm)	-

## Product Gallery





