Phone: +86-20-39390663 - Email: sales@lyintl.com

LCR-51/LCR-61/LCR-81 5"/6.5"/8" In-wall Center Channel LCR Speaker with Dual Woofer

Product ID: LCR-51/LCR-61/LCR-81





Short Description

Power handling (RMS): 30W/40W/50W

Impedance: 8?

Speaker driver: 5"/6.5"/8" x 2 graphite woofer + 1" Titanium tweeter

Frameless magnetic grille

Description

Built with Elegant Design, LCR-51 series is a set of 2 robustly crafted 5"/6.5"/8" low frequency speakers and 1x1? high frequency Titaniu dome driver for optimal audio performance. The tweeter used in this series in-wall speakers are crafted to deliver crisp and clear sound regardless of which direction they are facing, with premium grade quality.

This series can work on their own, or can be the part of a more sophisticated audio sound systemt.

LCR-51

Power Handing (RMS): 30W (60W programe)

Woofer: 5"x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1" (25 mm) Titanium dome

LCR-61

Power Handing (RMS): 40W (80W programe)

Woofer: 6.5"x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1" (25 mm) Titanium dome

LCR-81

Power Handing (RMS): 50W (100W programe)

Woofer: 8"x2 (125 mm) Graphite cone, rubber surround

Tweeter: 1" (25 mm) Titanium dome

Specification

Model	LCR-51	LCR-61	LCR-81
Power Handing	30W (60W program	40W (80W program	50W (100W progra
(RMS)))	m)
Impedance	8?		
Sensitivity	86dB	87dB	87dB
Frequency response	65Hz-20KHz	51Hz-20KHz	43Hz-20KHz
Woofer speaker	5"x2 (125 mm)	6.5"x2 (125 mm)	8"x2 (125 mm)
(LF)	Graphite cone,	Graphite cone,	Graphite cone,
	Rubber Surround	Rubber Surround	Rubber Surround
Tweeter speaker	1'' (25 mm) Titanium dome		
(HF)			
Product dimension	418 x 175 x 87 mm	481 x 210 x 100 mm	556 x 255 x 100 mm
Installation cut out	394 x 153 mm	458 x 188 mm	534 x 233 mm
Frame material	ABS		
Grille	Frameless magnetic grille		
Color	White / Black		
Product net weight	-		
Gross weight	-		
Packing dimension	-		

Product Gallery













