

# TS-3520 IP66 Waterproof Desktop PC Speaker

**Product ID:** TS-3520



## Short Description

Power handling (RMS): 20W

Impedance: 8Ω

5" Compound woofer + 1"x1" Aluminum tweeter

IP66 waterproof

With optimal bass enhancement radiator

## Description

TS-3520 IP66 waterproof desktop PC speaker redefined a new design trend for wall mount speakers market where Beauty, Durability, Performance and User Friendliness come as ONE CORE CONCEPT.

## IP66 Waterproof

**Perfect for Outdoors Application**



This series speaker delivers impeccable acoustic enjoyment, clean and clear announcements can be used both for public address systems and home audio systems.



Unique rear covers not only helps to cover the Euroblock Connector and Bypass Selector (PA Transformer) in the rear of the speaker, it is also designed to merge seamlessly with the OBE Bass Radiator and the overall design of speakers giving it an extra touch of modern sophistication.

## Exclusive OBE Technology

### Optimal Bass Enhancement Radiator



## Features:

- ? Power handling (RMS): 20W (40W program)
- ? Impedance: 8?
- ? 5" Compound material cone woofer, rubber surround; 1" Aluminum dome tweeter
- ? Exclusive optimal bass enhancement radiator technology
- ? IP66, all weather speaker for indoor and outdoor use
- ? Fashionable appearance with extraordinary sound quality

## Specification

Model	TS-3520
Power Handing (RMS)	20W (40W program)
Impedance	8?
Sensitivity	85dB
Frequency response	105Hz-20KHz
Woofer speaker (LF)	5"x1 (125 mm) compound material cone, rubber surround
Tweeter speaker (HF)	1'' (25 mm) Aluminum dome
Product dimension (mm)	275 x 170 x 168
Frame material	ABS
Grille	Power coated Aluminum grille
Color	White / Black
Termination	Standard pressed connector
Attachment	Base
Product net weight	-
Gross weight	-
Packing dimension (cm)	-

## Product Gallery



