

LS-531/LS-641/LS-851 8? Frameless Magnetic Grille 2-Way Coaxial In-ceiling Speaker

Product ID: LS-531/LS-641/LS-851



Short Description

Rated power: 30W, 40W or 50W

Line input: 8?

Speaker driver: 5", 6" or 8" PP + 1" tweeter

Frameless magnetic grille

Description

? High quality **Frameless magnetic grille** stereo 2-way in ceiling speakers, easy and secure attachment.

? Super audio and music reproduction performance.




? High strength ABS material.

? With Noble sound pressure level switch



? Flash mounting system for easy and fast installation.



? Perfect integrated into all indoor places.



Suitable for public address system background music and home theater audio system usage.

LS-531: 30W (5" PP cone woofer, rubber edge + 1" tweeter)

LS-641: 40W (6" PP cone woofer, rubber edge + 1" tweeter)

LS-851: 50W (8" PP cone woofer, rubber edge + 1" tweeter)

Specification

Model	LS-531	LS-641	LS-851
Rated power	30W	40W	50W
Power taps	-	-	-
Line input	-8?		
Sensitivity (1m,1W)	86dB	88dB	88dB
Frequency response	50-20KHz	45-21KHz	40-20KHz

S.P.L.	-	-	-
Woofer speaker driver	5" PP (rubber edge)	6" PP (rubber edge)	8" PP (rubber edge)
Tweeter speaker driver	1"		
Product dimension (mm)	211x96	248x117	285x142
Hole for mounting (mm)	172	207	246
Frame material	ABS		
Back cover material	-		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight(Kg)	1.24	1.81	2.47
Gross weight	-	-	-
Packing dimension (cm)	-	-	-

Product Gallery



