

FS-440TS/FS-460TS 4.5"/6.5" 40W/60W Outdoor On Surface Wall Mount Speaker with Power Taps

Product ID: FS-440TS/FS-460TS



Short Description

Rated power: 40W / 60W

Line input: 70V/100V/8?

Speaker driver: 4.5"+0.75" or 6.5"+1"

Outdoor waterproof design

Description

Outdoor designed wall mount commercial speakers, provide high-end audio performances, suitable for foreground and background music, paging, and general-purpose audio in restaurants, hotels, retail stores, fitness gyms, conference rooms, schools, or anywhere in need of high-quality indoor/outdoor sound.

This series is coming with or without a 70V/100V transformer, 4.5" or 6.5" 2-way all-weather outdoor IP65 waterproof.

Specification:

? Rated power: 40W (4.5") or 60W (6.5")

? Speaker driver: 4.5" PP woofer +0.75" Silk tweeter

FS-440: 40W (8?)

FS-440T: 40W (100V)

FS-440TS: 5W/10W/20W/40W (70V/100V/8?)

? Speaker driver: 6.5" PP woofer +1" Silk tweeter

FS-460: 60W (8?)

FS-460T: 60W (100V)

FS-460TS: 7.5W/15W/30W/60W (70V/100V/8?)

Specification

Model	FS-440TS	FS-440TS
Rated power	40W	60W
Power taps (100V)	5W/10W/20W/40W	7.5W/15W/30W/60W
Power taps (70V)	2.5W/5W/10W/20W	3.75W/7.5W/15W/30W
Line input	70V/100V/8?	
Output SPL	92±3dB	92±3dB
Freq. response	90Hz~16KHz	80Hz~16KHz
Woofer speaker	4.5"PP	6.5" PP
Tweeter driver	0.75" silk	1" silk
Waterproof	IP65	
Dimension	145x240x190 mm	320X190X201mm
Net weight (Kg)	1.82	3.6
Gross weight (Kg)	9.5 (4pcs)	8.6 (2pcs)
Packing dimension	468x400x300 mm	520x315x420mm

Product Gallery



