

PS-4320 3 Inch 20W Outdoor All Weather Resistant In Ground Spike Stand Landscape Garden Speaker

Product ID: PS-4320



Short Description

Rated power: 20W

Line input: 70V/100V

3" full range speaker driver

IP66 All weatherproof

Description

This high-quality 3" all weather resistant outdoor IP66 waterproof in ground spike stand/wall mount landscape garden speaker is specifically designed to enhance your outdoor audio experience, whether you're enjoying music in your garden, hosting a backyard party, or setting up a professional sound system in a commercial outdoor space.



Powerful Performance: With a power rating of 20W, this speaker delivers clear and immersive sound, filling your outdoor area with high-quality audio.

The speaker's 70v/100v transformer technology enables it to distribute sound evenly across large outdoor spaces, ensuring that everyone can enjoy high-quality audio regardless of their location within the area.

Versatile Mounting Options: This speaker offers two convenient mounting options. You can either use the in-ground spike stand, which allows you to securely place the speaker in the ground, to seamlessly blend into your garden or outdoor environment, providing excellent audio without compromising the aesthetics of your landscape. Or utilize the wall mount feature to attach it to a wall or other vertical surfaces.



All-Weather Resistant: Designed to withstand the harsh outdoor elements, this speaker is

built with weather-resistant materials. It is capable of withstanding rain, dust, UV rays, and extreme temperature variations, ensuring long-lasting durability.

IP66 Waterproof Rating: The speaker's IP66 rating guarantees protection against water ingress, making it suitable for installation in gardens, patios, pool areas, and other outdoor locations where it may come into contact with moisture.



Whether you're looking to create a relaxing ambiance in your garden or entertain guests with lively music during outdoor events, this outdoor IP66 waterproof landscape garden speaker is an excellent choice. It combines superior audio performance, versatile mounting options, and robust weather resistance to deliver an outstanding outdoor audio experience.

Specification

Model	PS-4320/WS4320
Rated power	20W
Power taps	-
Line input	70V/100V
Frequency response	180Hz-20kHz
Sensitivity(1m,1W)	86±2dB
Max.SPL (1m)	96±2dB
Woofer driver	3" PP x1
Tweeter driver	-
Grill material	Aluminum

Enclosure material	ABS
Product dimension (cm)	φ100×172×360 (H)
Net weight (kg)	0.8

Product Gallery

