Phone: +86-20-39390663 - Email: sales@lyintl.com

# PM-2011P Pre Amplifier Built-in MP3/FM/Bluetooth Player

**Product ID: PM-2011P** 



## **Short Description**

Built-in USB MP3 player, FM tuner & Bluetooth 5 MIC/3 AUX inputs, 2 EMC inputs 4 AUX outputs for connecting 4 power amplifiers

## **Description**

This PA rack-mount MP3 Pre Amplifier Combined with USB MP3 player, FM tuner player and Bluetooth wireless receiver, is designed for background music/paging and public address system installations, the unit is exceptional values, loaded with features and easy to install in a variety of systems.

The pre-amplifier supports power amplifiers to work, features muting function. MIC1 has the priority function, overrides other inputes: MIC2, MIC3, MIC4, MIC5, AUX1, AUX2, AUX3 with 0~30dB dB attenuation.

It is also built-in CHIME and SIREN tone circuitry with a pushbutton on front panel.

## **Key Features:**

- Built-in USB MP3 player, Bluetooth receiver, FM receiver
- Equipped with preamplifier with controls on front panel
- 5 MIC inputs, MIC1 has priority over other inputs
- 3 AUX inputs, 2 EMC inputs
- 4 AUX outputs for connecting 4 units of power amplifiers
- BASS and TREBLE tone independent control
- MIC & AUX inputs volume independent control
- MASTER volume control for all outputs
- Built- in SIREN circuitry with pushbutton on front panel, for emergency evacuation and conducting fire or emergency drill manually
- Connecting alam panel for emergency broadcasting automatically
- Built-in CHIME circuitry with pushbutton on front panel for attracting listeners' attention prior to speaking

**Specification** 

Model	PM-2011P
Inputs	Mic1, 2, 3, 4, 5: 600?, 5mV, unbalanced
	Aux1, 2, 3: 10K?, 200mV, unbalanced
	EMC1, 2: 10K?, 200V, unbalanced
S/N	MIC: >70dB
	AUX: >80dB
Frequency Response	60Hz-15KHz
Tone	Bass : ±10dB(100Hz)
	Treble: ±10dB (10KHz)
T.H.D.	<0.01% at 1KHz
Muting Function	MIC1 overrides other input with 0-30 dB
	attenuation;
	EMC1, 2 overrides all inputs except MIC1
Protection	AC fuse
Power Requirements	AC 220V(±10%), 50 / 60 Hz
Power Consumption	10-15W
Net Weight	5.96Kg
Product Dimensions (WxDxH)	483 x 350 x 89 mm
Gross Weight	7.72Kg
Packing Dimension (WxDxH)	520 x 435 x 185 mm

# **Product Gallery**

