

# L-457THS/L-657THS/L-857THS 4"/6.5"/8" Frameless Coaxial 2-way Ceiling Speaker with Iron Back Cover and Power Taps

**Product ID:** L-457THS/L-657THS/L-857THS



## Short Description

Rated power: 20W/30W/60W

Line input: 70V/100V/8?

Woofer speaker driver: 4" or 6½" or 8" + silk tweeter

Bezel-less magnetic grille

## Description

Optimize your public address and high-quality background music systems with these ceiling-mounted speakers.

Featuring a feather-edged magnetic iron grille and a high-strength fireproof iron rear cover, these speakers are built for durability and safety.



They offer versatile 70V/100V and 8 $\Omega$  inputs with adjustable power taps:

L-557THS: 2.5/5/10/20W (4"+0.75")

L-657THS: 3.75/7.5/15/30W (6.5"+1")

L-857THS: 7.5/15/30/60W (8"+1")

Choose from 4", 6.5", and 8" PP cone woofers, paired with a 1" silk coaxial dome tweeter for exceptional sound.



Excellent Sound Quality  
Perfect Choice for Background Music System



**L-457THS / L-657THS / L-857THS**  
**4"/6.5"/8" Frameless Coaxial 2-way Ceiling Speaker**  
**With Iron Back Cover and Power Taps**  
**TweeterDriver 360° Rotatable**  
**Magnetic Grille**

Ideal for indoor environments, these CE-certified speakers deliver superb audio

performance.

## Specification

Model	L-457THS	L-657THS	L-857THS
Rated power	20W(100V) 20W(8?)	30W(100V) 30W(8?)	60W(100V) 80W(8?)
Power taps	2.5/5/10/20W 8?: 20W	3.8/7.5/15/30W 8?: 30W	7.5/15/30/60W 8?: 80W
Line input	70V/100V/8?		
Sensitivity (1m,1W)	88±3dB	88±3dB	94±3dB
Frequency response	200-18KHz	130-17KHz	55-20KHz
Woofer speaker driver	4" PCK+PE	6.5" Paper	8" Paper
Tweeter speaker driver	3/4" silk	1" silk	1" silk
Product dimension (mm)	?204x165	?267x162	?320x245
Hole for mounting (mm)	?180	?240	?292
Frame material	ABS		
Back cover material	Iron		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	2.2	3.3	5.3
Gross weight	18Kg/4pcs	18.65Kg/4pcs	15.52Kg/2pcs
Packing dimension (cm)	58x55x28	65x34x53.5	80x41x38

## Product Gallery







