

L-406TKS/L-506TKS/L-606TKS 4"/5"/6" Ceiling Speaker with ABS Cover and Power Taps

Product ID: L-406TKS/L-506TKS/L-606TKS



Short Description

Rated power: 20W/30W/40W

Line input: 70V/100V/8?

Speaker driver: 4" or 5" or 6" PP woofer + 1" Mylar tweeter

Description

ABS ceiling speaker with 4"/5"/6" PP woofer and 1" Mylar tweeter, 70V/100V8? input and with different power taps.

Specification

Model	L-406TKS	L-506TKS	L-606TKS
Rated power	20W	30W	40W
Power taps	2.5/5/10/20W	3.8/7.5/15/30W	5/10/20/40W
Line input	70V/100V/8?		
Sensitivity (1m,1W)	87±3dB	88±3dB	90±3dB
Frequency response	90-20KHz	80-20KHz	70-20KHz
Woofer speaker driver	4" PP	5" PP	6" PP
Tweeter speaker	1" Mylar		

driver			
Product dimension (mm)	φ200x150	φ230x150	φ270x180
Hole for mounting (mm)	φ180	φ210	φ250
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.8	2	2.7
Gross weight	17Kg/8pcs	18Kg/8pcs	13.4Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery



