

# L-3411/L-3611, 4.5"/6.5" 6W/10W Steel Fireproof Ceiling Speaker

**Product ID:** L-3411/L-3611



## Short Description

Rated power: 6W/10W

Line input: 70V/100V

Speaker driver: 4½" or 6½" paper

## Description

High-class steel material ceiling mounted speaker, 4½" or 6½" paper cone woofer speaker driver, build in 70V/100V transformer.

Power taps: 1.5/3/6W or 3/6/10W

Input voltage: 70V/100V

## Specification

Model	L-3411	L-3611
Rated power	6W	10W
Power taps (70V)	1.5/3W	3/6W
Power taps (100V)	3/6W	6/10W
Line input	70V/100V	

Sensitivity (1M,1W)	91dB±2dB	92dB±2dB
Max SPL (1M)	97dB±2dB	100dB±2dB
Frequency response	250-15KHz	200-14KHz
Woofer speaker driver	4½" paper	6½" paper
Tweeter driver	-	-
Product dimension (mm)	φ174x110	φ210x115
Hole for mounting (mm)	φ158	φ196
Frame material	Steel	
Grille material	Steel	
Color	White	
Product net weight (Kg)	1.2	1.6
Gross weight (Kg)	-	-
Packing dimension (cm)	-	-

## Product Gallery



