

L-406TK/L-506TK/L-606TK 4"/5"/6" Ceiling Speaker with ABS Cover



Product ID: L-406TK/L-506TK/L-606TK

Short Description

Rated power: 20W/30W/40W

Line input: 100V

4" or 5" or 6" PP woofer speaker driver + 1" Mylar tweeter

Description

ABS ceiling speaker with 4"/5"/6" PP woofer and 1" Mylar tweeter, 100V input.

Specification

Model	L-406TK	L-506TK	L-606TK
Rated power	20W	30W	40W
Line input	100V		
Sensitivity (1m,1W)	87±3dB	88±3dB	90±3dB
Frequency response	90-20KHz	80-20KHz	70-20KHz
Woofer speaker driver	4" PP	5" PP	6" PP
Tweeter speaker	1" Mylar		

driver			
Product dimension (mm)	?200x150	?230x150	?270x180
Hole for mounting (mm)	?180	?210	?250
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.4	1.6	2.2
Gross weight	14Kg/8pcs	16Kg/8pcs	13Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery



**IMAGE
COMING
SOON!**