

L-3509/L-3609, 5"/6.5" 2-Way ABS Ceiling Speaker

Product ID: L-3509/L-3609



Short Description

Rated power: 20W/40W

Line input: 70V/100V

Woofer speaker driver: 5" or 6½" + 1" tweeter

Description

High quality engineering plastic ABS material ceiling mounted speaker, 5" or 6½" paper cone woofer speaker driver, 1" tweeter, build in 70V/100V transformer.

Power taps:

L-3509: 5/10/20W

L-3609: 10/20/40W

Specification

Model	L-3509	L-3609
Rated power	20W	40W
Power taps (70V)	2.5/5/10W	5/10/20W
Power taps (100V)	5/10/20W	10/20/40W
Line input	70V/100V/8?	

Sensitivity (1M,1W)	90dB±2dB	91dB±2dB
Max SPL (1M)	103dB±2dB	107dB±2dB
Frequency response	60-20KHz	50-20KHz
Woofer speaker driver	5" paper cone	6½" paper cone
Tweeter driver	1"	1"
Product dimension (mm)	223x196	241x231
Hole for mounting (mm)	170	203
Frame material	ABS	
Grille material	Steel	
Back cover material	ABS	
Color	White	
Product net weight (Kg)	2.6	4.0
Gross weight (Kg)	-	-
Packing dimension (cm)	-	-

Product Gallery



