L-3503/L-3803, 4.5"/6.5" 10W Steel Ceiling Speaker

Product ID: L-3503/L-3803



Short Description

Rated power: 10W Line input: 70V/100V Woofer speaker driver: 4¹/₂" or 6¹/₂" paper cone

Description

High-class steel material ceiling mounted speaker, $4\frac{1}{2}$ " or $6\frac{1}{2}$ " paper cone woofer speaker driver, build in 70V/100V transformer.

Power taps: 1.5/3/5W or 3/6/10W

Input voltage: 70V/100V

Specification

Model	L-3503	L-3803	
Rated power	10W		
Power taps (70V)	1.5/3/5W		
Power taps (100V)	3/6/10W		
Line input	70V/100V		

Sensitivity (1M,1W)	91dB±2dB	92dB±2dB
Max SPL (1M)	96dB±2dB	100dB±2dB
Frequency response	60-20KHz	45-18KHz
Woofer speaker driver	4 ¹ /2" paper	6 ¹ /2" paper
Tweeter driver	-	-
Product dimension (mm)	?175x80	?210x80
Hole for mounting (mm)	?154	?178
Frame material	Steel	
Grille material	Steel	
Color	White	
Product net weight (Kg)	0.9	1.1
Gross weight (Kg)	-	-
Packing dimension (cm)	-	-

Product Gallery



