LY International Electronics Co., Ltd - Room 1206 Aoyuan Jinsha Plaza Business Building, No. 26 Jinlong Road Nansha District, Guangzhou China, 511458
Phone: +86-20-39390663 - Email: sales@lyintl.com

ED-120M/ED-240M/ED-360M/ED-480M/ED-600M 5 Zone Digital Mixer Amplifier with MP3 Record Player/Digital Tuner/Remote Paging

Product ID: ED-120M/ED-240M/ED-360M/ED-480M/ED-600M



Short Description

Rated output power: 120W/240W/360W/480W/600W
Combined with MP3 Record Player/Digital Tuner/Paging
6 MIC input, 3 AUX input
With remote paging MIC input

Description

? Rated output power: 120W/240W/360W/480W/600W
? Combined with MP3 Record Player/Digital Tuner/Paging
? 6 MIC input (3 XLR), 3 AUX input, MIC1 with priority muting function, input individual volume control, treble & bass & master volume control
? 5 zone 100V speaker output, 1 zone 4/8? speaker out (ED-120M/ED-240M/ED-360M)
? 2 line amplifier input, 2 line amplifier out
? With remote paging MIC input (RJ45 interface)
? Telephone paging function (Euro block)

? Music on hold fuction (Euro block)
? Siren & Chime function
? LED indicators: Power, SIG, -20dB, -10dB, 0dB, CLIP & protect, zone selector

Specification

Model	ED-120M	ED-240M	ED-360M	ED-480M	ED-600M
Rated output power	120W	240W	360W	480W	600W
Output / Impedance	100V(83?) 70V(42?) 25V(5.2?) 22V(4?)	100V(42?) 70V(21?) 25V(2.6?) 31V(4?)	100V(28?) 70V(13.6?) 25V(1.7?) 38V(4?)	100V(20.8?)	100V(16.7?)
Audio play output	0dB / 600? balanced				
Pre-amplifier output	0dB / 600? unbalanced				
Input sensitivity	Channel 1-3, MIC: -54dB to -6dB Variable / 20K? balanced Channel 4-6, Line: -30dB to +14dB Variable / 20K? balanced Remote paging, MIC: 0dB / 20K? balanced Tel-paging: -17dB / 600? balanced Amp/line in: 0dB/10K? unbalanced				
Frequencey response	80Hz-18KHz				
T.H.D.	<0.1%				
S/N ratio	>80dB				
Grapic source (±12dB)	125Hz, 250Hz, 500Hz, 1KHz, 2KHz, 4KHz, 8KHz				
Power supply	AC230V, 50/60Hz				
Protection	Overheat, overload				
Net weight	6.3Kg	7.3Kg	8.3Kg	5.5Kg	5.5Kg
Product dimension (WxDxH)	420x320x88mm				

Product Gallery

