

# L-511TKS/L-611TKS/L-811TKS 5"/6"/8" Ceiling Speaker with 1/2" Mylar Tweeter, ABS Back Cover and Power Taps

**Product ID:** L-511TKS/L-611TKS/L-811TKS



## Short Description

Rated power: 20W/30W/40W

Line input: 70V/100V/8?

Woofer speaker driver: 5" or 6" or 8" PP, 1/2" Mylar tweeter

## Description

ABS ceiling speaker with 5"/6"/8" PP woofer speaker driver and 1/2" Mylar tweeter, with ABS back cover and power taps.

## Specification

| Model               | L-511TKS     | L-611TKS       | L-811TKS    |
|---------------------|--------------|----------------|-------------|
| Rated power         | 20W          | 30W            | 40W         |
| Power taps          | 2.5/5/10/20W | 3.8/7.5/15/30W | 5/10/20/40W |
| Line input          | 70V/100V/8?  |                |             |
| Sensitivity (1m,1W) | 88±3dB       | 89±3dB         | 90±3dB      |
| Frequency response  | 100-20KHz    | 100-20KHz      | 90-20KHz    |
| S.P.L.              | -            | -              | -           |

|                         |                         |                   |                   |
|-------------------------|-------------------------|-------------------|-------------------|
| Woofer speaker driver   | 5" PP (foam edge)       | 6" PP (foam edge) | 8" PP (foam edge) |
| Tweeter speaker driver  | 1/2" Mylar              |                   |                   |
| Product dimension (mm)  | ?213x130                | ?240x155          | ?280x190          |
| Hole for mounting (mm)  | ?180                    | ?210              | ?250              |
| Frame material          | ABS                     |                   |                   |
| Back cover material     | ABS                     |                   |                   |
| Grille material         | Powder coated Iron mesh |                   |                   |
| Color                   | White (RAL9016)         |                   |                   |
| Product net weight (Kg) | 1.5                     | 2.2               | 2.8               |
| Gross weight            | 16Kg/8pcs               | 21.6Kg/8pcs       | 14Kg/4pcs         |
| Packing dimension (Kg)  | 54x50x42                | 59x55x43          | 64x34x49          |

**Product Gallery**



