PP-718B Multi-functional Portable Wireless PA Amplifier
(MP3/Tuner/USB/SD/Recording/Bluetooth)

Product ID: PP-718B

Short Description

Peak output power: 200W MAX
With FM/USB/SD/MP3/Recording/Bluetooth
3 wired MIC & 1 AUX & 1 guitar input, 1 AUX output
8" 4? full range speaker

Description
Description

All in one design, UHF wireless PA Speaker system, build-in DC 12V 5AH lead acid rechargeable battery, easy carring and portable use.

? Peak power: 200W MAX
? With FM/USB/SD MP3 player/Recording/Bluetooth
? 10" 4? full range speaker

? 3 wired MIC inpput, 1 AUX input, 1 guitar input, 1 AUX output
? With dual channel wireless MIC input (handheld, laple MIC or headset MIC option)

Specification

Model No.	PP-718B
Peak output power	200W MAX
Input	3 wired MIC, 2 wireless MIC input, 1 AUX input, 1 guitar input
Output	1 AUX output
Line output level	500mV
MIC input sensitivity	5mV
Line input sensitivity	200mV
Build-in features	Optional UHF wirelss MIC (handheld, lapel MIC or headset MIC)
	MP3 player though USB & SD slot input
	With tripod jack at the bottom of the machine
	Digital FM tuner
	Wired & wireless MIC input
	Treble & bass control
	Digital echo control
	MIC with priority function
	Individual volume control of MP3/AUX/FM&AM/wired/wireless MIC
	With LCD display
	With LED lamp
T.H.D.	<1.0% (at 10W)
Treble & bass adjustment gain	±10dB
S/N ratio	>90dB
Frequency response	40Hz - 20KHz
Frenquency channel	Dual channel
Wireless service range	MAX 35m in VHF
Wireless channel	0-98 infrared auto match
Wireless frequency range	VHF 165~265MHz
Oscillating mode	±0.005% quartz control phase locked
Speaker	8" 4? full range speaker
Operating temperature	-25°C ~ 45°C
Power supply	AC100~250V / 50~60Hz, 1.0A
	External DC 12V 10AH
	Build-in DC 12V 5AH lead acid rechargeable battery

Rated consumption power	100W
Material	ABS engineering plastic body
Net weight (Kg)	13.5
Gross weight (Kg)	15.5
Product dimension (mm)	333 x 225 x 515
Packing dimention (mm)	

Product Gallery