Phone: +86-20-39390663 - Email: sales@lyintl.com

PP-739 Portable Wireless PA Amplifier (USB/SD/FM Tuner/Recording)

Product ID: PP-739



Short Description

RMS power: 100W MAX

With USB/SD/MP3/FM tuner/recording

Speaker: 12" 8? woofer and 3" 8? 25W horn tweeter

Description Description

All in one design, UHF wireless PA Speaker system, build-in DC 12V 10AH lead acid rechargeable battery, easy carring and portable use.

? RMS power: 100W MAX

? With USB/SD slod, MP3 player, FM tuner, recording function

? Speaker: 12" 8? woofer and 3" 8? 25W horn tweeter

? With dual channel wireless MIC input (handheld, laple MIC or headset MIC option)

Specification

Model No.	PP-739
RMS output power	100W MAX
Input	2 wired MIC, 2 wireless MIC input, 1

	AUX input
Output	1 AUX output, 1 external 8? speaker
	output (25-30W)
Line output level	500mV
MIC input sensitivity	5mV
Line input sensitivity	200mV
Build-in features	Optional UHF wirelss MIC (handheld,
	lapel MIC or headset MIC)
	MP3 player though USB & SD slot
	With tripod jack at the bottom of the
	machine
	Digital FM tuner
	Wired & wireless MIC input
	Treble & bass control
	Digital echo control
	MIC with priority function
	Individual volume control of
	MP3/AUX/wired/wireless MIC
T.H.D.	<1.0%
Treble & bass adjustment gain	±10dB
S/N ratio	>90dB
Frequency response	40Hz - 20KHz
Frenquency channel	Dual channel
Wireless service range	MAX 80m in UHF
Wireless frequency range	UFH 700~900MHz
Oscillating mode	±0.005% quartz control phase locked
Speaker	12" 8? woofer and 3" 8? 25W horn
	tweeter
Operating temperature	-25°C ~ 45°C
Power supply	AC100~250V / 50~60Hz, 1.0A
	External DC 12V 20AH
	Build-in 2pcs DC 12V 10AH lead acid
	rechargeable battery
Gross weight (Kg)	24.6
Material	ABS engineering plastic body
Dimension (WxDxH) mm	430 x 345 x 615

Product Gallery



