LY International Electronics Co., Ltd - Room 1206 Aoyuan Jinsha Plaza Business Building, No. 26 Jinlong Road Nansha District, Guangzhou China, 511458
Phone: +86-20-39390663 - Email: sales@lyintl.com

L-511K/L-611K/L-811K 5"/6"/8" 8? Ceiling Speaker with 1/2" Mylar Tweeter and ABS Back Cover

Product ID: L-511K/L-611K/L-811K



Short Description
Rated power: 20W/30W/40W
Line input: 8?
Woofer speaker driver: 5" or 6" or 8" PP, ½" Mylar tweeter

Description
ABS ceiling speaker with 5"/6"/8" PP woofer speaker driver (foam edge) and 1/2" Mylar tweeter, with ABS back cover, 8? line input.

Specification

Model	L-511K	L-611K	L-811K
Rated power	20W	30W	40W
Max power	40W	60W	80W
Line input	8?		
Sensitivity (1m,1W)	88±3dB	89±3dB	90±3dB
Frequency response	100-20KHz	100-20KHz	90-20KHz
S.P.L.	-	-	-

Woofer speaker driver	5" PP	6" PP	8" PP
Tweeter speaker driver	1/2" Mylar		
Product dimension (mm)	?213x130	?240x155	?280x190
Hole for mounting (mm)	?180	?210	?250
Frame material	ABS		
Back cover material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.3	1.8	2.5
Gross weight	14Kg/8pcs	18Kg/8pcs	12.6Kg/4pcs
Packing dimension (cm)	54x50x42	59x55x43	64x34x49

Product Gallery









