# H-7000 Digital Discussion Conference System

## Product ID: H-7000



### **Short Description**

Support discuss Support up to 250 units microphone with power extension unit Build-in power amplifier (2X50W RMS)

#### Description

? Designed accordance to ISO and IEC914 standards

? Main unit can support 60 units delegate and chairman microphone, it could be extend to support 250 unit microphone with extension power unit

? Equipped with four groups of 8P-DIN interface for system connecting

? With port for telephone interface unit, telephone meeting is available with telephone coincidence

? Build-in monitor loudspeaker

? Build-in power amplifier (2X50W RMS 4-16 Ohm), which can support external speaker directly

? System support 1/2/3/5/Free discuss mode

? Support video camera auto-track with video processor H-8008

? Support voting with voting processor H-8000

? Connection:

- 1 pc 13m main cable with 8 PIN plug
- 8 PIN socket for system connection

## Specification

Item	Parameter
Power Supply	AC110V/240V 50Hz/60Hz
Consumption Rating	450W
T.H.D.	<0.05%
S/N	>75dB
Frequency Response	100Hz-18KHz
Color	Black
Net Weight (Kg)	12.7
Audio Input	RCAx1, ?6.35x1
Audio Output	RCAx2, XLRx1
Output Impedance	47K?
Data Communication	RJ45x1
System Connection	8-PIN DINx4
Dimension (mm)	488x360x84 (19"/2U)
Installation	2U rack, 19 inch frame

## **Product Gallery**



