

LS-503/LS-603/LS-803 5"/6"/8" ABS Frameless Ceiling Speaker

Product ID: LS-503/LS-603/LS-803



Short Description

Rated power: 6W/6W/10W

Speaker driver: 5" or 6" or 8" paper cone

Slim edge design

Description

Speial designed slim edge ABS ceiling speaker build-in 5"/6"/8" speaker driver.

Combined with 100V transformer and 3/6W power taps.

Specification

| Model | LS-503 | LS-603 | LS-803 |
|---------------------|-----------------|-----------------|-----------------|
| Rated power | 6W | | 10W |
| Power taps | 3W/6W | | 5W/10W |
| Line voltage | 100V | | |
| Sensitivity (1m,1W) | 93±3dB | 93±3dB | 93±3dB |
| Frequency response | 100-15KHz | 100-15KHz | 100-15KHz |
| S.P.L. | 97dB at 100V 3W | 98dB at 100V 3W | 99dB at 100V 5W |
| Dimension (mm) | φ160x54 | φ186x71 | φ232x90 |

| | | | |
|------------------------|-------------------------|--------------|------------|
| Hole for mounting (mm) | ø145 | ø170 | ø210 |
| Speaker driver size | 5" paper | 6" paper | 8" paper |
| Material | ABS | | |
| Grille material | Powder coated Iron mesh | | |
| Cone material | Paper | | |
| Finished color | White RAL9016 | | |
| Net weight | 0.50Kg | 0.76Kg | 1.0Kg |
| Gross weight | 9.0Kg/12pcs | 10.8Kg/12pcs | 15Kg/12pcs |
| Packing dimension (cm) | 41x38x21 | 49x41x23 | 61x49x27 |

Product Gallery



