

# L-5211 6½" 10W ABS Frameless 2-Way Coaxial Ceiling Speaker

**Product ID:** L-5211



## Short Description

Rated power: 10W

Line input: 70V/100V

Speaker driver: 6½" woofer + ¾" tweeter

## Description

Ultra-slim edge designed coaxial two-frequency ceiling speaker, with wide angle and high output power.

? RAL white coating

? With 6½ inch woofer speaker driver unit and ¾ inch tweeter unit

? Complied with IEC268-5 power handling capability (PHC) standard, can works continuously for more than 100 hours at rated power

? Powerful clip design, durable and reliable, easy to install

# Details

## Durable and Stable



### Specification

Model	L-5211
Rated power	10W
Power taps (70V)	2.5/5W
Power taps (100V)	5/10W
Line input	70V/100V
Sensitivity (1M,1W)	86dB±2dB
Max SPL (1M)	90dB±2dB
Frequency response	90-18KHz
Woofer speaker driver	6½" PP paper cone, plastic edge

Tweeter driver	¾" coaxial
Product dimension (mm)	ø190x80
Hole for mounting (mm)	ø170
Frame material	ABS
Grille material	Steel
Color	White
Product net weight (Kg)	1.0
Gross weight (Kg)	-
Packing dimension (cm)	-

## Product Gallery

