

LS-D5/LS-D6 8? Frameless Magnetic Grille 2-way Coaxial Ceiling Speaker

Product ID: LS-D5/LS-D6



Short Description

Rated power: 25W or 35W

Line input: 8?

Speaker driver: 5" or 6.5" Paper + ¾" tweeter

Frameless magnetic grille

Description

Frameless magnetic grille for easy and secure attachment.

This series indoor ceiling speaker is coming with 5" or 6.5" paper material woofer speaker driver and a 0.75" tweeter driver, 8? input.

Rated/Max power:

LS-D5: 25W/50W (5"+0.75")

LS-D6: 35W/70W (6"+0.75")

High-class ABS material.

Suitable for public address system background music and home theater audio system usage.

Specification

Model	LS-D5	LS-D6
Rated power	25W	35W
Max power	50W	70W
Impedance	8?	
Sensitivity (1m,1W)	89±3dB	91±3dB
Frequency response	100-20KHz	
Woofer speaker driver	5" Paper	6.5" Paper
Tweeter speaker driver	¾"	
Product dimension (mm)	212x85	252x98
Hole for mounting (mm)	173	215
Frame material	ABS	
Grille material	Powder coated Iron mesh	
Color	White (RAL9016)	
Product net weight (Kg)	1.1	1.4
Gross weight	10.0	13.0
Packing dimension (cm)	46x46x23	54x54x25

Product Gallery



