

CS-M400T/CS-M600T Outdoor Aluminum Waterproof Column Speaker

Product ID: CS-M400T/CS-M600T



Short Description

Rated power: 80W/120W

Line input: 100V

Speaker unit: 4"x4 + 1"x1 (80W) or

Speaker unit: 4"x6 + 1"x2 (120W)

All Aluminum

Description

Outdoor waterproof all Aluminum material column speaker, built-in 4" full range speaker driver and 1" tweeter, 8? or 100V line input.

With output interface for connect to another speakre or amplifier.

Optional accessories: vertical mounting bracket / heavy bracket

CS-M400 (4"x4 + 1"x1): 80W / 8?

CS-M600 (4"x6 + 1"x2): 120W / 8?

CS-M400T (4"x4 + 1"x1): 80W / 100V
CS-M600T (4"x6 + 1"x2): 120W / 100V

Specification

Model	CS-M400T	CS-M600T
Rated power	80W	120W
Line input	100V	
Sensitivity (1m,1W)	95±3dB	98±3dB
Frequency response	150-20KHz	130-16KHz
Speaker driver size	4"x4, 1"x1	4"x6, 1"x2
Cone material	Paper	
Product dimension (mm)	645x130x132	885x130x132
Frame material	Aluminum	
Grille material	Aluminum	
Color	Black	
Product net weight (Kg)	9.1	12.2
Gross weight (Kg)	20	26
Packing dimension (cm)	76x41x22	100x41x22

Product Gallery



