HS-5404/HS-5504/HS-5604/HS-5804 Indoor/Outdoor Pendant Speaker

Product ID:

HS-5404/HS-5504/HS-5604/HS-5804

Phone: +86-20-39390663 - Email: sales@lyintl.com



Short Description

Rated power: 20W/30W/40W/50W

Line input: 70V/100V/8?

4''/5''/6!/2''/8'' woofer + silk tweeter

Description

HS-5 series outdoor on wall mount / ceiling pendant speakers are part of LYINTL's wall mount audio products line with very elegant and sleek housing design.

This seire is have 1 x 1" high frequency tweeter driver, and for low frequency woofer driver, 4", 5", 6.5" and 8" respectively.

Made from carefully selected premium grade material for durability, HS-5 series wall mount speakers come within the superior housing design with cutting edge audio component & parts that will deliver great audio sound results.



Specification

- ? 3 mounting method: on wall mounted, ceiling pendant, and in-ground stand (8" only)
- ? Build-in 70V/100V transformer and 8? power taps
- ? 1×4 ", 1×5 ", $1\times6\frac{1}{2}$ " or 1x8" graphite woofer speaker driver and 1" silk tweeter
- ? Rated output power: 20W, 30W, 40W or 50W
- ? White and black color for option



Specification

_				
Model	HS-5404	HS-5504	HS-5604	HS-5804
Rated power	20W	30W	40W	50W
Power taps	2.5/5/10/20W/0	3.7/7.5/15/30W	5/10/20/40W/0/	6.25/12.5/25/50
	/8?	/0/8?	8?	W/0/8?
Line input	70V/100V/8?			
Output SPL	83±3dB	84±3dB	85±3dB	86±3dB
Freq. response	80Hz~20KHz	98Hz~20KHz	51Hz~20KHz	44Hz~20KHz
Woofer speaker	4"x1 Graphite	5"x1 Graphite c	6½"x1 Graphite	8"x1 Graphite c
	cone	one	cone	one
Tweeter driver	0.75"x1 silk	1"x1 silk dome	1"x1 silk dome	1.1"x1 silk
	dome			dome
Waterproof	-			
Dimension	?155x215	?190x250	?230x300	?270x343
(H*W*D) (mm)				
Net weight	-	-	-	-
(Kg)				
Gross weight	-	-	-	-
(Kg)				
Packing	-	42x49x26	-	49x38x36 (1pc)
dimension		(2pcs)		
(H*W*H) (cm)				

Product Gallery











