

# LS-D25/LS-D26 8? 2-way Coaxial Frameless In Ceiling Speaker

**Product ID:** LS-D25/LS-D26



## Short Description

Rated power: 30W or 40W

Line input: 8?

Speaker driver: 5" or 6.5" woofer+ ¾" tweeter

Frameless grille

## Description

Fashion design **Frameless grille**.

This series indoor ceiling speaker is coming with 5" or 6.5" woofer speaker driver and 0.75" tweeter driver, 8? input.

## Rated/Max power:

LS-D25: 30W/60W (5"+0.75")

LS-D26: 40W/80W (6.5"+0.75")

High-class ABS material.

Suitable for public address system background music and home theater audio system usage.

### Specification

Model	LS-D25	LS-D26
Rated power	30W	40W
Max power	60W	80W
Impedance	8?	
Sensitivity (1m,1W)	92±3dB	90±3dB
Frequency response	100-20KHz	90-20KHz
Woofer speaker driver	5"	6.5"
Tweeter speaker driver	¾"	
Product dimension (mm)	210x87	245x95
Hole for mounting (mm)	190	232
Frame material	ABS	
Grille material	Powder coated Iron mesh	
Color	White (RAL9016)	
Product net weight (Kg)	1.2	1.8
Gross weight (Kg)	9.0 (6pcs)	13.0(Kg)
Packing dimension (cm)	54x27x34	60x30x38

### Product Gallery





