

F-49S/F-69S 4"/6½" Outdoor IP55 Waterproof On Wall Mount Speaker

Product ID: F-49S/F-69S



Short Description

Rated power: 20W or 60W

Line input: 70V/100V/8?

Woofer speaker driver: 4" or 6½" + 1" tweeter

Description

Outdoor IP55 waterproof ABS on wall mount speaker with 4" or 6½" woofer speaker driver and power taps, 70V/100V/8? line input.

Power taps:

F-49S: 2.5/5/10/20W

F-69S: 7.5/15/30/60W

Specification

Model	F-49S	F-59S	F-69S
Rated power	20W	30W	60W
Power taps	2.5/5/10/20W	3.75/7.5/15/30W	7.5/15/30/60W
Line input	70V/100V/8?		
Sensitivity (1m,1W)	90±3dB	91±3dB	88±3dB

Frequency response	90-20KHz	130-15KHz	70-20KHz
Woofer speaker driver	4"x1 PP	5"x1 Paper	6½"x1 Paper
Tweeter speaker driver	1"x1 PEI	1"x1 PEI	1"x1 Silk
Product dimension (mm)	158x129x238	196x157x295	214x178x329
Frame material	HIPS		
Grille material	Powder coated Aluminum mesh		
Color	White / Black		
Product net weight	2.5Kg	3.6Kg	4.5Kg
Gross weight	-		-
Packing dimension	-		-

Product Gallery



