

L-507/L-607/L-807 5"/6"/8" 8? Ceiling Speaker with 1/2" Mylar Rotatable Tweeter

Product ID: L-507/L-607/L-807



Short Description

Rated power: 20W/30W/40W

Line input: 8?

Woofer speaker driver: 5" or 6" or 8" PP, 1/2" rotatable Mylar tweeter

Description

ABS ceiling speaker with 5"/6"/8" woofer speaker driver (foam edge) and a 1/2" Mylar rotatable tweeter, 8? input.

Specification

Model	L-507	L-607	L-807
Rated power	20W	30W	40W
Max power	40W	60W	80W
Impedance	8?		
Sensitivity (1m,1W)	87±3dB		
Frequency response	100-20KHz	90-20KHz	50-20KHz
Woofer speaker driver	5" PP	6" PP	8" PP
Tweeter speaker	1/2" Mylar (Rotatable)		

driver			
Product dimension (mm)	φ203x80	φ230x90	φ270x105
Hole for mounting (mm)	φ170	φ200	φ240
Frame material	ABS		
Grille material	Powder coated Iron mesh		
Color	White (RAL9016)		
Product net weight (Kg)	1.0	1.3	1.8
Gross weight	11.5Kg/8pcs	14.3Kg/8pcs	14.3Kg/6pcs
Packing dimension (cm)	50x44x29	54x47x31	61x42x35

Product Gallery



