

F-31S/F-41S/F-51S/F-61S 3"/4"/5"/6" On Wall Mount Speaker with Power Taps

Product ID: F-31S/F-41S/F-51S/F-61S



Short Description

Rated power: 15W/20W/30W/40W

Line input: 70V/100V/8?

Speaker driver: 3½"/4"/5"/6" PP + 1" tweeter

Description

ABS on wall mount cabinet speaker with PP woofer speaker driver, 70V/100V/8? input and power taps.

Speaker driver size:

F-31S: 3½" PP woofer + 1" Mylar tweeter, Power taps: 2.5/5/10/15W

F-41S: 4" PP woofer + 1" PEI tweeter, Power taps: 2.5/5/10/20W

F-51S: 5" PP woofer + 1" Silk tweeter, Power taps: 3.75/7.5/15/30W

F-61S: 6" PP woofer + 1" Silk tweeter, Power taps: 5/10/20/40W

Specification

Model	F-31S	F-41S	F-51S	F-61S
Rated power	15W	20W	30W	40W
Power taps	2.5/5/10/15W	2.5/5/10/20W	3.75/7.5/15/30	5/10/20/40W

			W	
Line input	70V/100V/8?			
Sensitivity (1m,1W)	88±3dB	89±3dB	89±3dB	88±3dB
Frequency response	100-20KHz			70-20KHz
Woofer speaker driver	3½"x1 PP	4"x1 PP	5"x1 PP	6"x1 PP
Tweeter speaker driver	1"x1 Mylar	1"x1 PEI	1"x1 Silk	1"x1 Silk
Product dimension (mm)	130x115x195	170x150x215	182x162x242	215x190x284
Frame material	HIPS			
Grille material	Powder coated Iron mesh			
Color	White / Black			
Product net weight (Kg)	1.7	2.2	2.8	3.5
Gross weight	8.5Kg/4pcs	11Kg/4pcs	12.7Kg/4pcs	17.4Kg/4pcs
Packing dimension (cm)	29x27x27	36x34x28	40x38x31	45x43x36

Product Gallery



